Mycoplasma genitalium

This is a PDF version of the following document:
Module 1: STD Question Bank
Lesson 19: *Mycoplasma genitalium*

You can always find the most up-to-date version of this document at https://www.std.uw.edu/go/2021-guidelines/mycoplasma-genitalium-qb/core-concept/all.

References

- Bjartling C, Osser S, Persson K. *Mycoplasma genitalium* in cervicitis and pelvic inflammatory disease among women at a gynecologic outpatient service. Am J Obstet Gynecol. 2012;206:476.e1-8. [PubMed Abstract] -
- Cohen CR, Mugo NR, Astete SG, et al. Detection of *Mycoplasma genitalium* in women with laparoscopically diagnosed acute salpingitis. Sex Transm Infect. 2005;81:463-6. [PubMed Abstract] -
- Couldwell DL, Tagg KA, Jeoffreys NJ, Gilbert GL. Failure of moxifloxacin treatment in *Mycoplasma genitalium* infections due to macrolide and fluoroquinolone resistance. Int J STD AIDS. 2013;24:822-8. [PubMed Abstract] -
- Daley GM, Russell DB, Tabrizi SN, McBride J. *Mycoplasma genitalium*: a review. Int J STD AIDS. 2014;25:475-87. [PubMed Abstract] -
- Dehon PM, Hagensee ME, Sutton KJ, Oddo HE, Nelson N, McGowin CL. Histological Evidence of Chronic *Mycoplasma genitalium*-Induced Cervicitis in HIV-Infected Women: A Retrospective Cohort Study. J Infect Dis. 2016;213:1828-35. [PubMed Abstract] -
- Dehon PM, McGowin CL. The immunopathogenesis of *Mycoplasma genitalium* infections in women: A Narrative Review. Sex Transm Dis. 2017;44:428-432. [PubMed Abstract] -
- Dize L, Barnes P Jr, Barnes M, et al. Performance of self-collected penile-meatal swabs compared to clinician-collected urethral swabs for the detection of *Chlamydia trachomatis*, *Neisseria gonorrhoeae*, *Trichomonas vaginalis*, and *Mycoplasma genitalium* by nucleic acid amplification assays. Diagn Microbiol Infect Dis. 2016;86:131-5. [PubMed Abstract] -
- Falk L, Fredlund H, Jensen JS. Signs and symptoms of urethritis and cervicitis among women with or without *Mycoplasma genitalium* or *Chlamydia trachomatis* infection. Sex Transm Infect. 2005;81:73-8. [PubMed Abstract] -

- Falk L, Jensen JS. Successful outcome of macrolide-resistant *Mycoplasma genitalium* urethritis after spectinomycin treatment: a case report. J Antimicrob Chemother. 2017;72:624-625. [PubMed Abstract] -

- Francis SC, Kent CK, Klausner JD, et al. Prevalence of rectal *Trichomonas vaginalis* and *Mycoplasma genitalium* in male patients at the San Francisco STD clinic, 2005-2006. Sex Transm Dis. 2008;35:797-800. [PubMed Abstract] -

- Gaydos CA. *Mycoplasma genitalium*: Accurate diagnosis Is necessary for adequate treatment. J Infect Dis. 2017;216:S406-S411. [PubMed Abstract] -

- Getman D, Jiang A, O'Donnell M, Cohen S. *Mycoplasma genitalium* Prevalence, Coinfection, and Macrolide Antibiotic Resistance Frequency in a Multicenter Clinical Study Cohort in the United States. J Clin Microbiol. 2016;54:2278-83. [PubMed Abstract] -

- Golden MR, Workowski KA, Bolan G. Developing a Public Health Response to *Mycoplasma genitalium*. J Infect Dis. 2017;216:S420-S426. [PubMed Abstract] -

- Gottesman T, Yossepowitch O, Samra Z, Rosenberg S, Dan M. Prevalence of *Mycoplasma genitalium* in men with urethritis and in high risk asymptomatic males in Tel Aviv: a prospective study. Int J STD AIDS. 2017;28:127-32. [PubMed Abstract] -

- Haggerty CL, Taylor BD. *Mycoplasma genitalium*: an emerging cause of pelvic inflammatory disease. Infect Dis Obstet Gynecol. 2011;2011:959816. [PubMed Abstract] -

- Haggerty CL, Totten PA, Astete SG, Ness RB. *Mycoplasma genitalium* among women with nongonococcal, nonchlamydial pelvic inflammatory disease. Infect Dis Obstet Gynecol. 2006;2006:30184. [PubMed Abstract] -

- Horner PJ, Martin DH. *Mycoplasma genitalium* Infection in Men. J Infect Dis. 2017;216:S396-S405. [PubMed Abstract] -

- Jensen JS, Cusini M, Gomberg M, Moi H. 2016 European guideline on *Mycoplasma genitalium* infections. J Eur Acad Dermatol Venereol. 2016;30:1650-6. [PubMed Abstract] -

- Jensen JS, Cusini M, Gomberg M, Moi H. Background review for the 2016 European guideline on *Mycoplasma genitalium* infections. J Eur Acad Dermatol Venereol. 2016;30:1686-93. [PubMed Abstract] -

- Jernberg E, Moghaddam A, Moi H. Azithromycin and moxifloxacin for microbiological cure of *Mycoplasma genitalium* infection: an open study. Int J STD AIDS. 2008;19:676-9. [PubMed Abstract] -

- Jurstrand M, Jensen JS, Magnuson A, Kamwendo F, Fredlund H. A serological study of the role of *Mycoplasma genitalium* in pelvic inflammatory disease and ectopic pregnancy. Sex Transm Infect. 2007;83:319-23.

[PubMed Abstract] -

- Lau A, Bradshaw CS, Lewis D, et al. The efficacy of azithromycin for the treatment of genital *Mycoplasma genitalium*: a systematic review and meta-analysis. Clin Infect Dis. 2015;61:1389-99. [PubMed Abstract] -
- Lis R, Rowhani-Rahbar A, Manhart LE. *Mycoplasma genitalium* infection and female reproductive tract disease: a meta-analysis. Clin Infect Dis. 2015;61:418-26. [PubMed Abstract] -
- Manhart LE, Broad JM, Golden MR. *Mycoplasma genitalium*: should we treat and how? Clin Infect Dis. 2011;53 Suppl 3:S129-42. [PubMed Abstract] -
- Manhart LE, Critchlow CW, Holmes KK, et al. Mucopurulent cervicitis and *Mycoplasma genitalium*. J Infect Dis. 2003;187:650-7. [PubMed Abstract] -
- Manhart LE, Jensen JS, Bradshaw CS, Golden MR, Martin DH. Efficacy of antimicrobial therapy for *Mycoplasma genitalium* infections. Clin Infect Dis. 2015;61 Suppl 8:S802-17. [PubMed Abstract] -
- Manhart LE. Has the time come to systematically test for *Mycoplasma genitalium*? Sex Transm Dis. 2009;36:607-8. [PubMed Abstract] -
- McGowin CL, Totten PA. The Unique microbiology and molecular pathogenesis of *Mycoplasma genitalium*. J Infect Dis. 2017 Jul 15;216:S382-S388. [PubMed Abstract] -
- Moi H, Reinton N, Moghaddam A. *Mycoplasma genitalium* in women with lower genital tract inflammation. Sex Transm Infect. 2009;85:10-4. [PubMed Abstract] -
- Munson E, Bykowski H, Munson KL, et al. Clinical Laboratory Assessment of *Mycoplasma genitalium* Transcription-mediated amplification using primary female urogenital specimens. J Clin Microbiol. 2016;54:432-8. [PubMed Abstract] -
- Oakeshott P, Aghaizu A, Hay P, et al. Is *Mycoplasma genitalium* in women the "New Chlamydia?" A community-based prospective cohort study. Clin Infect Dis. 2010;51:1160-6. [PubMed Abstract] -
- Read TRH, Fairley CK, Murray GL, et al. Outcomes of resistance-guided sequential treatment of *Mycoplasma genitalium* infections: a prospective evaluation. Clin Infect Dis. 2019;68:554-60. [PubMed Abstract] -
- Seña AC, Lensing S, Rompalo A, et al. *Chlamydia trachomatis*, *Mycoplasma genitalium*, and *Trichomonas vaginalis* infections in men with nongonococcal urethritis: predictors and persistence after therapy. J Infect Dis. 2012;206:357-65. [PubMed Abstract] -
- Short VL, Totten PA, Ness RB, Astete SG, Kelsey SF, Haggerty CL. Clinical presentation of *Mycoplasma genitalium* infection versus *Neisseria gonorrhoeae* infection among women with pelvic inflammatory

disease. Clin Infect Dis. 2009;48:41-7.
[PubMed Abstract] -

- Simms I, Eastick K, Mallinson H, et al. Associations between *Mycoplasma genitalium*, *Chlamydia trachomatis*, and pelvic inflammatory disease. Sex Transm Infect. 2003;79:154-6.
[PubMed Abstract] -

- Stamm WE, Running K, Hale J, Holmes KK. Etiologic role of *Mycoplasma hominis* and *Ureaplasma urealyticum* in women with the acute urethral syndrome. Sex Transm Dis. 1983;10:318-22.
[PubMed Abstract] -

- Svenstrup HF, Fedder J, Kristoffersen SE, Trolle B, Birkelund S, Christiansen G. *Mycoplasma genitalium*, *Chlamydia trachomatis*, and tubal factor infertility--a prospective study. Fertil Steril. 2008;90:513-20.
[PubMed Abstract] -

- Taylor-Robinson D, Jensen JS. *Mycoplasma genitalium*: from Chrysalis to multicolored butterfly. Clin Microbiol Rev. 2011;24:498-514.
[PubMed Abstract] -

- U.S. Food and Drug Administration. FDA permits marketing of first test to aid in the diagnosis of a sexually-transmitted infection known as *Mycoplasma genitalium*. January 23, 2019
[FDA News Release] -

- Unemo M, Salado-Rasmussen K, Hansen M, et al. Clinical and analytical evaluation of the new Aptima *Mycoplasma genitalium* assay, with data on *M. genitalium* prevalence and antimicrobial resistance in *M. genitalium* in Denmark, Norway and Sweden in 2016. Clin Microbiol Infect. 2018;24:533-9.
[PubMed Abstract] -

- Workowski KA, Bachmann LH, Chan PA, et al. Sexually transmitted infections treatment guidelines, 2021. *Mycoplasma genitalium*. MMWR Recomm Rep. 2021;70(No. RR-4):1-187.
[2021 STI Treatment Guidelines] -

Table 1. 2021 STI Treatment Guidelines: *Mycoplasma genitalium* Recommended Regimens if *M. genitalium* Resistance Testing is Available

Recommended if macrolide sensitive:
Doxycycline followed by Azithromycin *Doxycycline 100 mg orally 2 times/day for 7 days, followed by Azithromycin 1 g orally initial dose, followed by 500 mg orally once daily for 3 additional days (2.5 g total of Azithromycin)*

Recommended if macrolide resistant:
Doxycycline followed by Moxifloxacin *Doxycycline 100 mg orally 2 times/day for 7 days, followed by Moxifloxacin 400 mg orally once daily for 7 days*

Source: Workowski KA, Bachmann LH, Chan PA, et al. Sexually transmitted infections treatment guidelines, 2021. *Mycoplasma genitalium*. MMWR Recomm Rep. 2021;70(No. RR-4):1-187. [2021 STI Treatment Guidelines]

Table 2. 2021 STI Treatment Guidelines: *Mycoplasma genitalium*
Recommended Regimens if *M. genitalium* Resistance Testing is Not Available

Recommended if *M. genitalium* is detected by an FDA-cleared NAAT:
Doxycycline followed by Moxifloxacin *Doxycycline 100 mg orally 2 times/day for 7 days, followed by Moxifloxacin 400 mg orally once daily for 7 days*

Source: Workowski KA, Bachmann LH, Chan PA, et al. Sexually transmitted infections treatment guidelines, 2021. *Mycoplasma genitalium*. MMWR Recomm Rep. 2021;70(No. RR-4):1-187. [2021 STI Treatment Guidelines]